



# ACCESS PANEL

Hangzhou Shunshi Hardware & Machinery Co.,Ltd



# Company profile

Hangzhou Shunshi Hardware & Machinery Co.,Ltd

Hangzhou Shunshi Hardware & Machinery Co.,Ltd established in 2000, covering 2000 square meters, our company is professional manufacturer on doing access panel, Various types of air diffuser and other Ventilation products.

Our company located in Hangzhou, Hangzhou is the capital of Zhejiang Province, near Shanghai and Ningbo, and it has a good geographic advantage with convenient transportation. Hangzhou Shunshi Hardware & Machinery Co.,Ltd has 14 years of development experience since establish , now we are in the leading position in the same industry, whether it is from the productivity, technological level, design, marketing share, research and development design, we have made Enterprise Standard; Industry Standard, and other various certifications, Shunshi also got the ISO 9001 quality management system in 2014, our company is becoming more and more perfect.

Shunshi is dedicated to develop market abroad, our research and development team constantly offering new product to satisfy customers' requirement. Our products be sale over the world, more than 20 countries and area, have entered American, Spain, Germany, Saudi Arabia, The United Arab Emirates, Canada, South Africa, Brazil and other countries.

The company has always insisted: Actions Speak Louder than Words; constant innovation and improve productivity, we will present to every customers with the most sincere heart! Make every employee will be proud of being a member of Shunshi big family.



# PRODUCT & MANUAL

# Contents

COMPANY PROFILE	01	PRODUCT CONTENTS	02
ENTERPRISE HONOR	03	ABOUT US	04
ALUMINIUM ACCESS PANEL	05	STEEL ACCESS PANEL	24
SA-AP320 / 06	SA-AP360 / 13	SS-AP001 / 25	SS-AP280SB / 39
SA-AP330 / 07	SA-AP361 / 14	SS-AP110 / 26	SS-AP290 / 40
SA-AP331 / 08	SA-AP370 / 15	SS-AP210 / 27	SS-AP300SB / 41
SA-AP332 / 09	SA-AP380 / 16	SS-AP220 / 28	SS-AP301SB / 42
SA-AP333 / 10	SA-AP390 / 17	SS-AP230 / 29	SS-AP525 / 43
SA-AP335 / 11	SA-AP40R / 18	SS-AP240 / 30	SS-AP510 / 44
SA-AP350 / 12	SA-AP410 / 19	SS-AP241 / 31	SP-AP001 / 45
SA-AP420 / 20	SA-AP427 / 21	SS-AP250FF / 32	
SA-AP600 / 22	SA-AP600 / 22	SS-AP251SB / 33	
		SS-AP252SB / 34	
		SS-AP260 / 35	
		SS-AP270 / 36	
		SS-AP27R / 37	
		SS-AP280FF / 38	
ACCESSORY PRODUCTS	48	AIR VENT	54
SS-SD01 / 48	SS-GB01 / 50	SA-M01 / 54	SS-PD / 58
SS-SD02 / 49	SS-FC02 / 51	SA-LG / 55	
SS-SD03 / 49	SS-NM05 / 51	SA-SD 001 / 56	
SS-DW01 / 50	SS-FC01 / 52	SA-JD / 57	
	SAP-01 / 52		
	ST-001 / 53		
	SS-FT01 / 53		



03

# ENTERPRISE HONOR

Hangzhou Shunshi Hardware & Machinery Co., Ltd



## Organization Chart

ISO9001

General Manager

Management Representative

Development Dept.

Sales Dept.

Purchasing Dept.

Production Dept.

QC Dept.

Integrated Dept.

Finance Dept.

# ABOUT US

Hangzhou Shunshi Hardware & Machinery Co., Ltd



OUR FACTORY



OUR TEAM



EXHIBITION



## WHY CHOOSE US



OEM/ODM



Quality Control



In-time delivery



After-sales service




# PRODUCTS & INTRODUCTION






## 1. ALUMINUM ACCESS PANEL

All access panels' frame are aluminum, corrosion proof and coated by white color, customized color also available, 12mm thickness plasterboard, Option is 12.5mm,15mm and 2\*12.5mm.And most doors can be removable. The popular lock is push lock and also according to customer's request. OEM and Customized products are also available.



# ALUMINUM ACCESS PANEL SA-AP320




## Description

1. Available in ceiling or drywall maintenance panel
2. Strong aluminum profile and G.I accessories
3. White powder coated finish
4. With sealing strips between inner and outer frames
5. Special fixed for inner and outer frames by spring loaded easy control handle
6. 12mm gypsum board inlay, optional: 12.5mm, 15mm and 2\*12.5mm gypsum board
7. Removable door panel with safety
8. Quick installation without difficulty
9. Standard size: 20x20cm, 30x30cm, 40x40cm, 45x45cm, 50x50cm, 60x60cm, 60x120cm
10. Customized size and color are available
11. Package: 1pc/bubble bag, then put into carton, pallet is available.

## Advantage


Double way open, can inside or outside open  
Best sell in Saudi Arabic

Item	Neck size (mm)	Opening size W1xL1 (mm)	Overall size W2xL2 (mm)
SA-AP320	300x300	294x294	378x378
	400x400	394x394	478x478
	450x450	444x444	528x528
	500x500	494x494	578x578
	600x600	594x594	678x678





# ALUMINUM ACCESS PANEL SA-AP330




## Description

1. Available in ceiling or drywall maintenance
2. Strong aluminum profile and G.I accessories
3. White powder coated finish
4. With sealing strips between inner and outer frames
5. Concealed snap lock, push open
6. 12mm moisture resistant gypsum board inlay optional: 12.5mm, 15mm and 2\*12.5mm moisture resistant gypsum board inlay
7. Removable door panel with concealed safety wire
8. Quick installation without difficulty
9. Standard size: 20x20cm, 30x30cm, 40x40cm, 45x45cm, 50x50cm, 60x60cm, 60x120cm
10. Customized size and color are available
11. Package: 1pc/bubble bag, then put into carton, pallet is available.


## Advantage

Concealed snap lock, push open.  
 Star products in Middle East Market  
 Frameless access panel after installation  
 best sale, star product in Middle East and Euro Market

Item	Neck size(mm)	Opening size W1xL1 (mm)	Overall size W2xL2(mm)
SA-AP330	308x308	300x300	358x358
	408x408	400x400	458x458
	458x458	450x450	508x508
	508x508	500x500	558x558
	608x608	600x600	658x658



# ALUMINUM ACCESS PANEL SA-AP331




## Description

1. Available in ceiling or drywall maintenance
2. Strong aluminum profile and G.I accessories
3. White powder coated finish
4. With sealing strips between inner and outer frames
5. Concealed snap lock, push open
6. 15mm MDF board inlay
7. Removable door panel with concealed safety wire
8. Quick installation without difficulty
9. Standard size: 20x20cm, 30x30cm, 40x40cm, 45x45cm, 50x50cm, 60x60cm, 60x120cm
10. Customized size and color are available
11. Package: 1pc/bubble bag, then put into carton, pallet is available.

## Advantage

No need painting after installation

Item	Neck size (mm)	Opening size W1xL1 (mm)	Overall size W2xL2 (mm)
SA-AP331	308x308	300x300	358x358
	408x408	400x400	458x458
	458x458	450x450	508x508
	508x508	500x500	558x558
	608x608	600x600	658x658





# ALUMINUM ACCESS PANEL SA-AP332




## Description

1. Available in ceiling or drywall maintenance
2. Strong aluminum profile and G.I accessories
3. White powder coated finish
4. With sealing strips between inner and outer frames
5. Concealed snap lock, push open
6. 12mm PVC board inlay
7. Removable door panel with concealed safety wire
8. Quick installation without difficulty
9. Standard size: 20x20cm, 30x30cm, 40x40cm, 45x45cm, 50x50cm, 60x60cm, 60x120cm
10. Customized size and color are available
11. Package: 1pc/bubble bag, then put into carton, pallet is available.




## Advantage

No need painting after installation

Item	Neck size(mm)	Opening size W1xL1(mm)	Overall size W2xL2(mm)
SA-AP332	308x308	300x300	358x358
	408x408	400x400	458x458
	458x458	450x450	508x508
	508x508	500x500	558x558
	608x608	600x600	658x658



# ALUMINUM ACCESS PANEL SA-AP333




## Description

1. Available in ceiling or drywall maintenance
2. Strong aluminum profile and G.I accessories
3. White powder coated finish
4. With sealing strips between inner and outer frames
5. Concealed snap lock, push open
6. 12mm moisture resistant gypsum board inlay optional: 12.5mm, 15mm and 2\*12.5mm moisture resistant gypsum board inlay
7. Removable door panel with concealed safety wire
8. Quick installation without difficulty
9. Standard size: 20x20cm, 30x30cm, 40x40cm, 45x45cm, 50x50cm, 60x60cm, 60x120cm
10. Customized size and color are available
11. Package: 1pc/bubble bag, then put into carton, pallet is available.

## Advantage


- Concealed snap lock, push open.
- Star products in Middle East Market
- Frameless access panel after installation
- Latch spring hinge, safety to open the door

Item	Neck size(mm)	Opening size W1xL1(mm)	Overall size W2xL2(mm)
SA-AP333	308x308	300x300	358x358
	408x408	400x400	458x458
	458x458	450x450	508x508
	508x508	500x500	558x558
	608x608	600x600	658x658





# ALUMINUM ACCESS PANEL SA-AP335




## Description

1. Available in ceiling or drywall maintenance
2. Strong aluminum profile and G.I accessories
3. White powder coated finish
4. With sealing strips between inner and outer frames
5. Concealed snap lock, push open
6. 12mm moisture resistant gypsum board inlay optional: 12.5mm , 15mm and 2\*12.5mm moisture resistant gypsum board inlay
7. Removable door panel with concealed safety hook
8. Quick installation without difficulty
9. Standard size: 20x20cm, 30x30cm, 40x40cm, 45x45cm, 50x50cm, 60x60cm, 60x120cm
10. Customized size and color are available
11. Package: 1pc/bubble bag, then put into carton, pallet is available.


## Advantage

- Cheap
- Concealed snap lock, push open.
- Star products in Middle East Market
- Frameless access panel after installation

Item	Neck size(mm)	Opening size W1xL1(mm)	Overall size W2xL2(mm)
	300x300	296x296	358x358
	400x400	396x396	458x458
SA-AP335	450x450	446x446	508x508
	500x500	496x496	558x558
	600x600	596x596	658x658



# ALUMINUM ACCESS PANEL SA-AP350



## Advantage



It can be fixed with gypsum board or marble  
Widely used in drywall duct maintenance

Item	Neck size(mm)	Opening size W1xL1(mm)	Overall size W2xL2(mm)
	190x190	193x193	200x200
	290x290	293x293	300x300
SA-AP350	390x390	393x393	400x400
	490x490	493x493	500x500
	590x590	593x593	600x600

## Description

1. Available in ceiling or drywall maintenance
2. aluminum profile and strong hardware
3. Without powder coated
4. With waterproof sealing strips between inner and outer frames
5. Concealed touch latch
6. 12.5mm moisture resistant gypsum board inlay
7. Not removable door panel
8. Quick installation without difficulty
9. Standard size: 20x20cm, 30x30cm, 40x40cm, 50x50cm, 60x60cm
10. Customized size and color are available
11. Package: 1pc/bubble bag, then put into carton, pallet is available.

# ALUMINUM ACCESS PANEL SA-AP360




## Description

1. Available in ceiling or drywall maintenance
2. aluminum profile and strong hardware
3. Without powder coated
4. With sealing strips between inner and outer frames
5. Concealed touch latch
6. 12mm moisture resistant gypsum board inlay Option: 12.5mm, 15mm and 2\*12.5mm
7. Removable door panel with concealed safety wire
8. Quick installation without difficulty
9. Standard size: 20x20cm, 30x30cm, 40x40cm, 50x50cm, 60x60cm
10. Customized size and color are available
11. Package: 1pc/bubble bag, then put into carton, pallet is available.




## Advantage

Corner connected by welding  
Gypsum board stick on the aluminum frame by glue  
Nice appearance on the surface of gypsum board, no screw.  
Best sell in European market

Item	Neck size(mm)	Opening size W1xL1(mm)	Overall size W2xL2(mm)
	304x304	296x296	356x356
	404x404	396x396	456x456
SA-AP360	454x454	446x446	506x506
	504x504	496x496	556x556
	604x604	596x596	656x656



# ALUMINUM ACCESS PANEL SA-AP361




## Description

1. Available in ceiling or drywall maintenance
2. aluminum profile and strong hardware
3. Without powder coated
4. With sealing strips between inner and outer frames
5. Concealed touch latch
6. 12mm moisture resistant gypsum board inlay Option: 12.5mm , 15mm and 2\*12.5mm
7. Removable door panel with concealed safety hook
8. Quick installation without difficulty
9. Standard size: 20x20cm, 30x30cm, 40x40cm, 50x50cm, 60x60cm
10. Customized size and color are available
11. Package: 1pc/bubble bag, then put into carton, pallet is available.

## Advantage




Very good design in structure  
Best sell in European market

Item	Neck size(mm)	Opening size W1xL1(mm)	Overall size W2xL2(mm)
	304x304	296x296	356x356
	404x404	396x396	456x456
SA-AP361	454x454	446x446	506x506
	504x504	496x496	556x556
	604x604	596x596	656x656





# ALUMINUM ACCESS PANEL SA-AP370




## Description

1. Available in ceiling or drywall maintenance
2. aluminum profile
3. White powder coated
4. Without hinge and lock
5. 12mm moisture resistant gypsum board or MDF Board inlay
6. removable door panel
7. Quick installation without difficulty
8. Standard size: 20x20cm, 30x30cm, 40x40cm, 50x50cm, 60x60cm
9. Customized size and color are available
10. Package: 1pc/bubble bag, then put into carton, pallet is available.

## Advantage

Simple design access panel easy to open  
Very economical new type

Item	Neck size(mm)	Opening size W1xL1(mm)	Overall size W2xL2(mm)
	204x204	200x200	239x239
	304x304	300x300	339x339
SA-AP370	404x404	400x400	439x439
	550x550	500x500	539x539
	650x650	600x600	639x639






### Description

1. Available in ceiling or drywall maintenance
2. Aluminum T section profile
3. White powder coated
4. Welding corner connected
5. Standard size: 20x20cm, 30x30cm, 40x40cm, 50x50cm, 60x60cm
6. Customized size and color are available
7. Package: 1pc/bubble bag, then put into carton, pallet is available.


### Advantage

Aluminum frame connected by welding

Item	Neck size(mm)	Opening size W1xL1(mm)	Overall size W2xL2(mm)
SA-AP380	200x200	172x172	225x225
	300x300	272x272	325x325
	400x400	372x372	425x425
	500x500	472x472	525x525
	600x600	572x572	625x625



# ALUMINUM ACCESS PANEL SA-AP390




## Description

1. Available in ceiling or drywall maintenance
2. aluminum profile and strong hardware
3. Original aluminum color
4. Heat resist material inside
5. Rubber sealing dust proof
6. Cam lock with key
7. Steel bar hinge
8. Quick installation without difficulty
9. Standard size: 20x20cm, 30x30cm, 40x40cm, 50x50cm, 60x60cm
10. Customized size are available
11. Package: 1pc/bubble bag, then put into carton, pallet is available.

## Advantage

Heat resistant access panel  
Best sell in North America market

Item	Neck size(mm)	Opening size W1xL1(mm)	Overall size W2xL2(mm)
	215x215	206x206	277x277
	315x315	306x306	339x339
SA-AP390	415x415	406x406	439x439
	515x515	506x506	539x539
	615x615	606x606	639x639





# ALUMINUM ACCESS PANEL SA-AP40R


## Description

1. Available in ceiling or drywall maintenance
2. 1mm/1.8mm aluminum profile
3. Circular design
4. White powder coated finish
5. With sealing strips between inner and out frame
6. 12mm gypsum board inlay, optional: 12.5mm
7. Removable door panel with concealed safety wire
8. The round outline continues architectural themes blending with other circular fittings.
9. Standard size : 300mm, 450mm, 600mm
10. Concealed push lock operated

## Advantage

New design, very popular in 5star hotels

Item	Neck size(mm)	Opening size W1xL1 (mm)	Overall size W2xL2 (mm)
SA-AP40R	298	291	343
	448	441	493
	598	591	643





# ALUMINUM ACCESS PANEL SA-AP410




## Description

1. Available in ceiling or drywall maintenance
2. Strong aluminum profile frame and G.I accessories
3. Aluminum Profile with white powder coating
4. Concealed snap lock, push open
5. For 10mm gypsum ceiling
6. LED panel power: 10W
7. Light efficiency: 80lm/W
8. CE & Rohs certificate
9. Quick install without difficulty
10. Available size: 300x300 / 600x600 / 300x600
11. Packaging: 1 pc / bubble bag, then into carton, pallet is available

## Advantage

Access panel with LED light function

Item	Neck size(mm)	Opening size W1xL1(mm)	Overall size W2xL2(mm)
SA-AP 410	305x305	299x299	353x353
	405x405	399x399	453x453
	455x455	449x449	503x503
	505x505	499x499	553x553
	605x605	599x599	653x653






### Description

1. 1.5mm aluminum sheet frame and lid
2. Outdoor Powder coating color as per requirement
3. XPS extruded polystyrene Insulation board in lid
4. Weather tight design
5. 3 points lock easy open and close
6. Gas spring piston for lid opening and closing
7. Stainless steel nuts and bolts rust proof
8. Packaging: each set with one box, foam surround the hatch, palletized
9. For human roof access, or facilities / equipment access

### Advantage

rust proof, durable high quality

Item	Neck size(mm)	Opening size W1xL1(mm)	Overall size W2xL2(mm)
SA-AP 420	600x600	600x600	752.5x752.5
	800x800	800x800	952.5x952.5
	1000x1000	1000x1000	1152.5x1152.5



# ALUMINUM ACCESS PANEL SA-AP427




## Description

1. 1mm aluminum frame
2. Powder coating color as per customer requirements
3. Allen locks easy open with Allen key
4. 1.0mm galvanized steel lid (aluminum lid for optional)
5. Bolt and nut fixed hinge door removable
6. Packaging: each piece with shrink wrap, then into carton


## Advantage

light weight, lockable access panel, Africa market

Item	Neck size(mm)	Opening size W1xL1(mm)	Overall size W2xL2(mm)
SA-AP 427	300x300	290x290	334x334
	400x400	390x390	434x434
	450x450	440x440	484x484
	500x500	490x490	534x534
	600x600	590x590	634x634



# ALUMINUM ACCESS PANEL SA-AP600



## Description

1. Mainly installed in ceiling
2. Strong aluminum materials
3. White powder coated finish
4. Special screw&nut lock,easy for open and long usage
5. Piano hinge, near to 180 opening degree
6. Door not removable
7. Quick installation without difficult
8. Customized size and color are available
9. Packing: 1 pc/bubble bag,then put into carton,pallet is available


## Advantage

1. Piano hinge ,near to 180 opening degree
2. Special screw&nut lock,easy for open and long for usage

Item	Neck size N1xN2(mm)	Overall size W2xL2(mm)
SA-AP600	300x300	362x362
	400x400	462x462
	450x450	512x512
	500x500	562x562
	600x600	662x662

# ALUMINUM ACCESS PANEL ASSEMBLY INSTALLING INSTRUCTION

Hangzhou Shunshi Hardware & Machinery Co.,Ltd


 <p>1</p>	 <p>2</p> <p>L=NECK size+5mm</p>	 <p>3</p>	 <p>4</p>				
 <p>5</p> <p><math>30 \leq L \leq 100\text{mm}</math></p>	 <p>6</p>	 <p>7</p>	 <p>8</p>				
DRAWING		PUTTING		ADJUSTING		FINISHING	
						PAINTING	
						INSTALLING	

# PRODUCTS & INTRODUCTION




## 2. STEEL ACCESS PANEL

The material is galvanized steel usually the thickness is 1 mm, according to customer's request. All size are available. The popular lock is cam lock, screwdriver lock and push lock. Being coated by white color or according to customer's request. Most doors can be remove. OEM and Customized products are available.





# STEEL ACCESS PANEL SS-AP001



### Description

1. Cover plate for wall or ceiling application
2. 1mm galvanized steel/ stainless steel
3. White powder coating finish
4. High durability and corrosion protection
5. Fix on ceiling or wall on 4 holes
6. Standard size: 26x26/36x36/46x46/56x56
7. Customized size available
8. Packaging: put into wooden box

### Advantage

Simple design with easy installation

Item	Neck size(mm)	Opening size W1xL1(mm)	Overall size W2xL2(mm)
SS-AP001	200x200	172x172	225x225
	300x300	272x272	325x325
	400x400	372x372	425x425
	500x500	472x472	525x525
	600x600	572x572	625x625




### Description

1. Fire rated access panel for wall or ceiling application
2. 1.5mm galvanized steel frame
3. Fire rated fiberglass inside
4. White powder coating finish or special color available
5. High durability and corrosion protection
6. Piano hinges door removable
7. Install by screws from the holes on the frame
8. Lock: Spring lock with key
9. Standard size: 20x20/30x30/40x40/50x50/60x60
10. All size with welded frame
11. Customized size available
12. Packaging: Each piece put into single box, then put into big carton


### Advantage

Heavy duty and fire rated

Item	Neck size(mm)	Opening size W1xL1(mm)	Overall size W2xL2(mm)
SS-AP110	200x200	194x194	254x254
	300x300	294x294	354x354
	400x400	394x394	454x454
	500x500	494x494	554x554
	600x600	594x594	654x654



## STEEL ACCESS PANEL SS-AP210




### Description


1. Access panel for wall or ceiling application
2. 1mm galvanized steel frame and lid
3. Flange frame finish
4. White powder coating finish or special color available
5. High durability and corrosion protection
6. Steel bar hinge door removable
7. Swing tab for installation fixing screw
8. Lock: cam lock with key
9. Standard size : 20x20/30x30/40x40/45x45/50x50/60x60
10. 20x20/30x30/40x40 with one piece punched frame, 50x50/60x60 with welded frame
11. Customized size available
12. Packaging: Each piece with a key put into poly bag with shrink wrap, then put into carton

### Advantage

All locks can be opened by one key

Item	Neck size(mm)	Opening size W1xL1(mm)	Overall size W2xL2(mm)
SS-AP210	196x196	192x192	235x235
	296x296	292x292	335x335
	396x396	392x392	435x435
	496x496	492x492	535x535
	596x596	592x592	635x635






## STEEL ACCESS PANEL SS-AP220




### Description

1. Access panel for wall or ceiling application
2. 1mm galvanized steel frame and lid
3. Flange frame finish
4. White powder coating finish or special color available
5. High durability and corrosion protection
6. Steel bar hinge door removable
7. Swing tab for installation fixing screw
8. Lock: Square cam lock with plastic key
9. Standard size : 20x20/30x30/40x40/45x45/50x50/60x60 with welded frame
10. 20x20/30x30/40x40 with one piece punched frame, 50x50/60x60 with shrink wrap
11. Customized size available
12. Packaging: Each piece with a key put into poly bag with shrink wrap, then put into carton

### Advantage

All locks can be opened by one key, customer's logo can be made on the key  
 Star product in Euro and North America market

Item	Neck size(mm)	Opening size W1xL1(mm)	Overall size W2xL2(mm)
SS-AP220	196x196	192x192	235x235
	296x296	292x292	335x335
	396x396	392x392	435x435
	496x496	492x492	535x535
	596x596	592x592	635x635



# STEEL ACCESS PANEL SS-AP230




## Description

1. Access panel for wall or ceiling application
2. 1mm galvanized steel frame and lid
3. Flange frame finish
4. White powder coating finish or special color available
5. High durability and corrosion protection
6. Steel bar hinge door removable
7. Swing tab for installation fixing screw
8. Lock: 2 touch locks
9. Standard size : 20x20/30x30/40x40/45x45/50x50/60x60 with welded frame
10. 20x20/30x30/40x40 with one piece punched frame 50x50/60x60
11. Customized size available
12. Packaging: Each piece put into poly bag with shrink wrap, then put into carton

## Advantage

Can be opened without key, push at the lock position to open

Item	Neck size(mm)	Opening size W1xL1(mm)	Overall size W2xL2(mm)
SS-AP230	196x196	192x192	235x235
	296x296	292x292	335x335
	396x396	392x392	435x435
	496x496	492x492	535x535
	596x596	592x592	635x635






### Description

1. Access panel for wall or ceiling application
2. 1.5mm galvanized steel frame and lid
3. Flange frame finish
4. White powder coating finish or special color available
5. High durability and corrosion protection
6. Steel bar hinge door removable
7. Install by screws from the holes on the frame.
8. Lock: screwdriver operated lock
9. Standard size : 20x20/30x30/40x40/45x45/50x50/60x60
10. All sizes with welded frame
11. Customized size available
12. Packaging: Each piece put into poly bag with shrink wrap, then put into carton

### Advantage

Door leaf with 4 round corner, avoid scratching people,  
Opened by screwdriver or coin.  
Best sell in North America market

Item	Neck size(mm)	Opening size W1xL1(mm)	Overall size W2xL2(mm)
SS-AP240	227x227	204x204	259x259
	327x327	304x304	359x359
	427x427	404x404	459x459
	527x527	504x504	559x559
	627x627	604x604	659x659



# STEEL ACCESS PANEL SS-AP241




## Description

1. Access panel for wall or ceiling application
2. 1.5mm galvanized steel frame and lid
3. Flange frame finish
4. White powder coating finish or special color available
5. High durability and corrosion protection
6. Steel bar hinge door not removable
7. Install by screws from the holes on the frame.
8. Lock: slotted lock
9. Standard size : 20x20/30x30/40x40/45x45/50x50/60x60
10. All sizes with welded frame
11. Customized size available
12. Packaging: Each piece put into poly bag with shrink wrap, then put into carton

## Advantage

Can be easily opened by screwdriver or coin. With bended door lid, strong and durable.  
Best sell in North America market

Item	Neck size(mm)	Opening size W1xL1(mm)	Overall size W2xL2(mm)
SS-AP241	204x204	197x197	258x258
	304x304	297x297	358x358
	404x404	397x497	458x458
	504x504	597x597	558x558
	604x604	697x697	658x658





## Description


1. Access panel for wall or ceiling application
2. 1 mm galvanized steel frame and lid
3. Flange frame finish
4. White powder coating finish or special color available
5. High durability and corrosion protection
6. Stainless steel rivet hinges door not removable
7. Four bendable ears for fixing screws
8. Lock: slotted lock / square lock / touch lock
9. Standard size : 20x20/30x30/40x40/45x45/50x50/60x60
10. 20x20/30x30/40x40 with one piece punched frame, 50x50/60x60 with welded frame
11. Customized size available
12. Packaging: Each piece put into poly bag with shrink wrap, then put into carton

## Advantage


different locks available:

- A: slotted lock operated by screwdriver or coin
  - B: square lock operated by L key
  - C: Touch lock push open
- Best sell in Australia and New Zealand market

Item	Neck size(mm)	Opening size W1xL1(mm)	Overall size W2xL2(mm)
SS-AP250 FF	196x196	192x192	235x235
	296x296	292x292	335x335
	396x396	392x392	435x435
	496x496	492x492	535x535
	596x596	592x592	635x635



# STEEL ACCESS PANEL SS-AP251SB



## Description

1. Sound rated access panel for wall or ceiling application
2. 1 mm galvanized steel frame, lid and back cover
3. Sound proof material inside the panel
4. Set beaded frame finish
5. White powder coating finish or special color available
6. High durability and corrosion protection
7. Stainless steel rivet hinges door not removable
8. Four bendable ears for fixing screws
9. Lock: slotted lock / square lock
10. Standard size : 20x20/30x30/45x45/60x60
11. All size are welded frame
12. Customized size available
13. Packaging: Each piece put into poly bag with shrink wrap, then put into carton

## Advantage


different locks available:

- A: slotted lock operated by screwdriver or coin
- B: square lock operated by L key


The access panel achieve a weighted sound reduction index rating of 35

Best sell in Australia and New Zealand market

Item	Neck size(mm)	Opening size W1xL1(mm)	Overall size W2xL2(mm)
SS- AP251 SB	196×196	192×192	235×235
	296×296	292×292	335×335
	396×396	392×392	435×435
	496×496	492×492	535×535
	596×596	592×592	635×635



# STEEL ACCESS PANEL SS-AP252SB




## Description

1. Access panel for wall or ceiling application
2. 1 mm galvanized steel frame and PVC lid
3. Set Beaded frame
4. Concealed in ceiling after installation
5. White powder coating finish or special color available
6. High durability and corrosion protection
7. Stainless steel rivet hinges door not removable
8. Four bendable ears for fixing screws
9. Lock: slotted lock / square lock / touch lock
10. Standard size : 20x20/30x30/40x40/45x45/50x50/60x60
11. All sizes with welded frame
12. Customized size available
13. Packaging: Each piece put into poly bag with shrink wrap, then put into carton


## Advantage

- different locks available:  
 A: slotted lock operated by screwdriver or coin  
 B: square lock operated by L key  
 C: Touch lock push open  
 Best sell in Australia and New Zealand market

Item	Neck size(mm)	Opening size W1xL1(mm)	Overall size W2xL2(mm)
SS- AP252 SB	196x196	192x192	235x235
	296x296	292x292	335x335
	396x396	392x392	435x435
	496x496	492x492	535x535
	596x596	592x592	635x635



# STEEL ACCESS PANEL SS-AP260




## Description

1. Access panel for wall or ceiling application
2. 1.5 mm galvanized steel frame, 12.5mm gypsum board water resist
3. Set Beaded frame
4. Concealed in ceiling after installation
5. White powder coating finish or special color available
6. High durability and corrosion protection
7. Pin hinges door removable
8. Install by screws from the holes on the frame.
9. Lock: Touch lock
10. Standard size : 20x20/30x30/40x40/50x50/60x60
11. All sizes with welded frame
12. Customized size available

## Advantage

Beautiful looking frame, moisture proof

Item	Neck size(mm)	Opening size W1xL1(mm)	Overall size W2xL2(mm)
SS-AP260	202x202	198x198	250x250
	302x302	298x298	350x350
	402x402	398x398	450x450
	502x502	498x498	550x550
	602x602	598x598	650x650






## Description

1. Access panel for wall or ceiling application
2. 1mm galvanized steel frame and lid
3. Flange frame finish
4. White powder coating finish or special color available
5. High durability and corrosion protection
6. Screw hinges door removable
7. Install by screws from the holes on the frame
8. Lock: Budget lock T with plastic key
9. Standard size : 20x20/30x30/40x40/45x45/50x50/60x60
10. All sizes with welded frame
11. Customized size available
12. Packaging: Each piece put into poly bag with shrink wrap, then put into carton

## Advantage

All locks can be opened by one T plastic key

Item	Neck size(mm)	Opening size W1xL1(mm)	Overall size W2xL2(mm)
SS-AP270	200x200	196x196	248x248
	300x300	296x296	348x348
	400x400	396x396	448x448
	500x500	496x496	548x548
	600x600	596x596	648x648



# STEEL ACCESS PANEL SS-AP27R




## Description

1. Access Panel for wall or ceiling application
2. 1mm galvanized steel frame and lid
3. Flange frame
4. Concealed in ceiling after installation
5. White powder coated finish or special color available
6. High durability and corrosion protection
7. The door can be removable
8. Lock: square lock operated by T key
9. Standard size: 200mm, 300mm.
10. Customized size available
11. Package: Each piece put into poly bag with shrink wrap, then put into carton

## Advantage

Beautiful appearance after installation

Item	Neck Size Diameter (mm)	Opening Size Diameter (mm)	Overall Size Diameter (mm)
SS-AP27R	198	191	243
	298	291	343





# STEEL ACCESS PANEL SS-AP280FF


## Description

1. MDF access panel for wall or ceiling application
2. 1 mm galvanized steel frame
3. 15mm MDF with felt covered
4. Sound proof rubber sealing between door and frame
5. Flange frame finish
6. White powder coating finish or special color available
7. High durability and corrosion protection
8. Steel bar with spring hinges door removable
9. Four bendable ears for fixing screws
10. Lock: slotted lock / square lock / budget lock
11. Standard size : 20x20/30x30/45x45/60x60
12. All size are welded frame  
Customized size available
13. Packaging: Each piece put into poly bag with shrink wrap, then put into carton



## Advantage

Different locks available  
 Slotted lock operated by screwdriver or coin  
 Square lock operated by L key  
 Budget lock operated by T plastic key  
 The access panel achieve a weighted sound reduction index rating of 30  
 Best sell in Australia and New Zealand market

Item	Neck size(mm)	Opening size W1xL1(mm)	Overall size W2xL2(mm)
SS- AP280 FF	200x200	195x195	235x235
	300x300	295x295	335x335
	400x400	395x395	435x435
	500x500	495x495	535x535
	600x600	595x595	635x635



# STEEL ACCESS PANEL SS-AP280SB




## Description

1. MDF access panel for wall or ceiling application
2. 1 mm galvanized steel frame
3. 15mm MDF with felt covered
4. Sound proof rubber sealing between door and frame
5. Set Beaded frame
6. Concealed in ceiling after installation
7. White powder coating finish or special color available
8. High durability and corrosion protection
9. Steel bar with spring hinges door removable
10. Four bendable ears for fixing screws
11. Lock: slotted lock / square lock / budget lock
12. Standard size : 20x20/30x30/45x45/60x60
13. All size are welded frame
14. Customized size available
13. Packaging: Each piece put into poly bag with shrink wrap, then put into carton


## Advantage

- Different locks available
- Slotted lock operated by screwdriver or coin
- Square lock operated by L key
- Budget lock operated by T plastic key
- The access panel achieve a weighted sound reduction index rating of 30
- Best sell in Australia and New Zealand market

Item	Neck size(mm)	Opening size W1xL1(mm)	Overall size W2xL2(mm)
SS- AP280 SB	200x200	196x196	248x248
	300x300	296x296	348x348
	400x400	396x396	448x448
	500x500	496x496	548x548
	600x600	596x596	648x648



# STEEL ACCESS PANEL SS-AP290




## Description

1. Access panel for wall application
2. 1.5 mm galvanized steel frame, 12.5mm gypsum board water resist
3. Concealed in ceiling after installation
4. White powder coating finish or special color available
5. High durability and corrosion protection
6. Pin hinges door removable
7. Safety chain
8. Install by screws from the holes on the frame.
9. Lock: Touch lock
10. Standard size : 20x20/30x30/40x40/50x50/60x60
11. All sizes with welded frame
12. Customized size available
13. Packaging: Each piece put into bubble bag, then put into carton


## Advantage

For fixing tiles on wall.  
Ceramic tile inlay is available, for bathroom usage

Item	Opening Size W1 x L1 (mm)
SS-AP290	200x200
	300x300
	400x400
	500x500
	600x600



# STEEL ACCESS PANEL SS-AP300SB



## Description


1. Access Panel for wall or ceiling application
2. 1mm galvanized steel frame and MDF lid
3. Set Beaded frame
4. Concealed in ceiling after installation
5. White powder coating finish or special color available
6. High durability and corrosion protection
7. Stainless steel billiard hinge door not removable
8. The holes on the frame for fixing screw
9. Lock: Slotted lock/square lock/touch lock
10. Standard size: 20x20/30x30/40x40/50x50/60x60
11. All size are welded frame
12. Customized size available
13. Packaging: each piece put into poly bag with shrink wrap, then put into carton

## Advantage

Different lock available:

- A: Slotted lock operated by screwdriver or coin
  - B: Square lock operated by L key
  - C: Touch Lock push open
- Strong frame

Item	Neck size(mm)	Opening size W1xL1(mm)	Overall size W2xL2(mm)
SS- AP300 SB	300x300	295x295	358x358
	400x400	395x395	458x458
	450x450	445x445	508x508
	500x500	525x525	588x588
	600x600	595x595	658x658



# STEEL ACCESS PANEL SS-AP301SB



## Description


1. Access Panel for wall or ceiling application
2. 1mm galvanized steel frame and PVC lid
3. Set Beaded frame
4. Concealed in ceiling after installation
5. White powder coating finish or special color available
6. High durability and corrosion protection
7. Stainless steel billiard hinge door not removable
8. The holes on the frame for fixing screw
9. Lock: Slotted lock/square lock/touch lock
10. Standard size: 20x20/30x30/40x40/50x50/60x60
11. All size are welded frame
12. Customized size available
13. Packaging: each piece put into poly bag with shrink wrap, then put into carton

## Advantage

Different lock available:

- A: Slotted lock operated by screwdriver or coin
  - B: Square lock operated by L key
  - C: Touch Lock push open
- Strong frame

Item	Neck size(mm)	Opening size W1xL1(mm)	Overall size W2xL2(mm)
SS- AP301 SB	300x300	295x295	358x358
	400x400	395x395	458x458
	450x450	445x445	508x508
	500x500	525x525	588x588
	600x600	595x595	658x658





# STEEL ACCESS PANEL SS-AP525




## Description


1. Fire rated access panel for wall or ceiling application
2. 1mm galvanized steel frame
3. Fire Rated Rock wool and plasterboard inside
4. White powder coating finish or special color available
5. High durability and corrosion protection
6. Install by screws from the holes on the frame
7. Lock: Square lock by L key
8. Standard size:/30x30/40x40/50x50/60x60
9. All size are welded frame
10. Packaging: Each piece put into single box, then put into big carton

## Advantage

Heavy duty and fire rated  
Has official certificate for 30/60 Minutes

Item	Neck size(mm)	Opening size W1xL1(mm)	Overall size W2xL2(mm)
SS-AP525	195x195	190x190	220x220
	295x295	290x290	320x320
	295x395	290x390	320x420
	395x395	390x390	420x420
	495x495	490x490	520x520
	595x595	590x590	620x620






### Description

1. 2.0mm galvanized steel frame
2. 1.5mm galvanized steel door
3. Installed ceramic or without (Customer install)
4. White powder coating finish
5. Budget lock / Click lock available
6. Pin hinge door removable
7. Safety wire for protection
8. Different size can be made as per customer requirement
9. Quick install without difficulty
10. Packaging: 1 pc / bubble bag, then into carton, pallet is available

### Advantage


For bathroom installation, ceramic tile maintenance

Item	Neck size(mm)	Opening size (mm)	Overall size W x L(mm)
SS-AP 510	300x300	300x300	304.5x304.5
	400x400	400x400	404.5x404.5
	450x450	450x450	454.5x454.5
	500x500	500x500	504.5x504.5
	600x600	600x600	604.5x604.5





# PLASTIC ACCESS PANEL SP-AP001



## Description

1. Available in ceiling or drywall maintenance panel
2. 1.5mm ABS material
3. Completely removable and reversible and fits tightly with snap latches
4. White, textured finish can be left as is or painted to match the surrounding areas
5. Concealed hinge
6. Easy to install by applying caulking adhesive to the back of the frame and pressing into place


Item	Normal size		Neck size (mm)	Opening size W1xL1(mm)	Overall size W2xL2(mm)
	mm	inch			
SP-AP001	100x150	4" x 6"	200x200	140x92	180x130
	150x225	6" x 9"	300x300	216x142	272x195
	200x200	8" x 8"	300x400	192x190	247x247
	300x300	12" x 12"	400x400	288x286	357x357
	350x350	14" x 14"	500x500	344x342	413x413
	550x550	22" x 22"	600x600	547x545	630x630

# STEEL ACCESS PANEL INSTALLING INSTRUCTION

Hangzhou Shunshi Hardware & Machinery Co.,Ltd



DRAWING



CUTTING



INSTALLING FRAME



FIXING



INSTALLING DOOR



FINISHING



# PRODUCTS & INTRODUCTION



# & PRODUCTS INTRODUCTION



## ACCESSORY PRODUCT

SCREW

KEEL

ALUMINUM PROFILE

TAPE

AIR VENT



### SCREW SS-SD01

#### Characteristic

1. Available in supporting parts such as the Angle iron
2. Colour: White, Black and Yellow
3. Material: C1022A
4. Customized size and color are available
5. Package: 1000pcs in a box, 12/18 boxes in a carton

#### Size

4.2mm; 13mm-75mm



## SCREW SS-SD02

### Characteristic

- 1.Available in supporting parts such as the Angle iron
- 2.Colour: White and black
- 3.Material:C1022A
- 4.Customized size and color are available
- 5.Package: 1000pcs in a box, 12/18 boxes in a carton

### Size

3.5mm, 3.9mm; 9.5mm-13mm



## SCREW SS-SD03

### Characteristic

- 1.Available in supporting parts such as the Angle iron
- 2.Colour: White and Yellow
- 3.Material:C1022A
- 4.Customized size and color are available
- 5.Package: 1000pcs in a box, 12/18 boxes in a cart

### Size

4.2mm-6.3mm; 19mm-220mm



## SCREW SS-DW01

### Characteristic

- 1.Available in supporting parts such as the Angle iron
- 2.Colour: White,Black and Yellow
- 3.Material:C1022A
- 4.Customized size and color are available 6.Package:1000pcs in a box,12/18 boxes in a carton

### Size

3.5mm;20mm-55mm




## SCREW SS-GB01

### Characteristic

- 1.Available in supporting parts such as the Angle iron
- 2.Colour: White,Black and Yellow
- 3.Material:C1022A
- 4.Customized size and color are available 6.Package:1000pcs in a box,12/18 boxes in a carton

### Size

3.5mm;20mm-55mm



## MAIN CHANNEL SS-FC02

### Characteristic

1. Available in partition.
2. Colour: silver
3. Material: Q195
4. Finish: galvanized
5. Weight: 1.28kg/pc

### Size

50\*30\*0.48\*3.0m



## MAIN CHANNEL SS-NM05

### Characteristic

1. Available in suspended ceiling decoration.
2. Colour: silver
3. Material: Q195
4. Finish: galvanized
5. Weight: 0.61kg/pc

### Size

37\*20\*0.40\*2.44m



## FURRING CHANNEL


### SS-FC01

#### Characteristic

1. Available in suspended ceiling decoration.
2. Colour: silver
3. Material: Q195
4. Finish: galvanized
5. Weight: 0.81kg/pc

#### Size

32\*22\*0.35\*3.0m



## ALUMINUM PROFILE

### SAP-01

#### Characteristic

1. Available in suspended ceiling decoration.
2. Colour: White
3. Material: 195L
4. Finish: powder coating
5. Weight: 1.19kg/pc

#### Size

23\*45\*15\*0.50\*3.0m



## METAL CORNER TAPE

### ST-001

#### Characteristic

1. Metal types: galvanized steel or aluminum
2. Standard size: 50mm \* 30m (2inch \* 100feet)
3. Package: one rolls to a box, 10 boxes to a carton




## METAL CORNER TAPE

### SS-FT01

#### Characteristic

1. Self adhesive
2. Faster application
3. Width: 35mm, 50mm or other dimension as per demand.
4. Length: 20m, 45m, 90m, 153m and other as per client's demand
5. Color: white, yellow or blue
6. Packing: shrink wrap or polybag, then put into cartons

# ALUMINUM VENT SA-M01




Item	Neck size (mm) D	Face size (mm) A	Blade space (mm) B
SA-M01	150x150	200x200	20
	200x200	260x260	20
	250x250	310x310	20
	300x300	360x360	20
	350x350	410x410	20
	600x250	660x310	20
	500x250	560x310	20
	500x200	560x260	20

## Description


1. The thickness of the frame can be 0.9mm, thickness of blade is 0.8mm
2. Anodized or powder coated white, and other colors follow customer's request
3. Use for the supply and exhaust of cooled and heat air available for central-air conditioning system, and ventilation system
4. Surrounded by sponge protection
5. White powder coated finish
6. White steel net on the black side
7. Each piece of product with one pack of screw
8. Quick installation without difficulty
9. Standard size( neck size): 150x150mm, 200x200mm, 250x250mm, 300x300mm, 350x350mm, 600x250mm, 500x250mm, 500x200mm
- 10: Package: each piece with poly bag, then put into carton, pallet is available

## Advantage

Easy installation, can make any size, good appearance



# ALUMINUM VENT SA-LG




Item	Border size (mm)A	Border size (mm)A	Neck Size (mm)D*N	Blade space (mm)B
SA-LG	28	20	1000x20	14
	28	20	1000x10	14

## Description

1. The thickness of the frame can be 1.0mm, thickness of blade is 0.8mm
2. Anodized or powder coated white, and other colors follow customer's request
3. Use for the supply and exhaust of cooled and heat air available for central air conditioning system and ventilation system
4. Horizontal blade
5. White powder coated finish
6. Fixed blade
7. Quick installation without difficulty
8. Any size can be made
9. Package: each piece with poly bag, then put into carton, pallet is available


## Advantage

Easy installation, wide range of use



# ALUMINUM VENT

## SA-SD 001






Item	Neck size (mm) D	Face size (mm) A
SA-SD 001	150x150	300x300
	200x200	350x350
	225x225	375x375
	250x250	400x400
	300x300	450x450
	350x350	500x500
	375x375	525x525
	400x400	550x550
	450x450	600x600

### Description

1. The thickness of the frame can be 1.0mm, thickness of inner frame is 0.8mm
2. Anodized or powder coated white, and other colors follow customer's request.
3. Use for supply and exhaust of cooled and heat air available for central-air conditioning system and ventilation system
4. 1.0mm aluminum profile with 0.8mm integral stamping inner frames
5. White powder coated finish
6. With several iron connecting rods between inner and outer frames
7. Inner frame removable
8. Quick installation without difficulty
9. Standard size (neck size): 150x150mm, 20x200mm 225x225mm 250x250mm, 300x300mm, 350x350mm, 400x400mm, 450x450mm
10. Customized color are available
11. Package: each piece with poly bag, then put into carton, pallet is available

### Advantage

Integral stamping technology  
 Products good sell in middle-east market  
 good quality wish strong competitive price



# ALUMINUM VENT SA-JD




Item	Neck size (mm) D	Face size (mm) A
SA-JD	100	147
	150	200
	200	260
	250	310
	315	380
	360	425
	400	470
	450	520
	500	600
	630	730

### Description

1. Available for central-air conditioning system and ventilation system
2. 1.2mm aluminum material
3. White powder coated finish
4. The inner sphere can be rotated 60 degrees
5. The inner sphere removable
6. Quick installation without difficulty
7. Standard size ( neck size): 100x100mm, 150x150mm, 200x200mm, 250x250mm, 315x315mm, 360x360mm, 400x400mm, 500x500mm, 630x630mm, customized colors are available
8. Package: each piece with poly bag, then put into carton, pallet is available

### Advantage

Through the numerical control lathe one time molding, greatly improve the efficiency of production



# STEEL VENT SS-PD



Model No.	A	N	H
PD 80	105	80	45
PD100	125	100	45
PD125	150	125	45
PD 150	175	150	45
PD 160	185	160	45
PD 200	225	200	45

## Description

1. 0.6mm steel profile with 0.5mm steel inner pan
2. Anodized of powder coated white, and other colors follow customer's request
3. Use for the supply and exhaust of cooled and heat air available for central-air conditioning system and ventilation system
4. White powder coated finish
5. Inner pan removable
6. Quick installation without difficulty
7. Standard size(face size): N: 80mm, 100mm, 125mm, 150mm, 160mm, 200mm, any size can be customized
8. Customized colors are available
9. Package: each piece with poly bag, then put into carton, pallet is available

## Advantage

Can adjust the size of the wind and dust proof

